AFinal 10/775,393 updated Search

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L2	43860	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:26
L3	90	(dedicat$3 adj bus) same (central$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:08
L4	13	L2 and L3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:08
L5	73	cumulative adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:09
L6	11	temporay near (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:10
L7	2669	(tag adj identifier adj affix$3) or ID-tag or (identificatiion adj tag) or (tag adj ID) or "tag identiffier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:11
L8	95280	(plural$3 or multipl$3 or many or cluster) near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:11
L9	172	L7 and L8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:11

EAST Search History

L10	539	(714/39).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:13
L11	538	(714/37).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:13
L12	873	(714/43).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:18
L13	1236	(714/47).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:18
L14	188	(714/56).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:22
L15	448	(377/15).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:22
L16	660	(377/16).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:22
L17	10593	(reconfigur$4 or reconstruct$4) same operat$3 same differen$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:24

EAST Search History

L18	73	17 same 8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:25
L19	0	18 same 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:25
L20	13	18 and 7	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:25
L21	13	20 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:27
L22	1	21 and 5	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:27
L23	0	21 and 6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:27
L24	50	(hunter-hillery$ or Nair-ravi$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:28
S1	2	("6898261").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2007/06/13 13:08

EAST Search History

S2	49	(hunter-hillery$ or Nair-ravi$).in.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:28
S3	40712	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:05
S4	87	(dedicat$3 adj bus) same (central$3)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:27
S5	1	S3 same S4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:27
S6	68	cumulative adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:09
S7	1	S3 same S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:32
S8	15	stor$3 same temporay same (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:43
S9	2215	(tag adj identifier adj affex$3) or ID-tag or (identificatiion adj tag) or (tag adj ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:16

EAST Search History

S10	0	S3 and S6 and S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:39
S11	16	S3 same S9	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:45
S12	0	S11 and S6	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:39
S13	0	S11 and S8	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:39
S14	505	(714/39).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:12
S15	815	(714/43).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:40
S16	510	(714/37).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:40
S17	1	digest adj collector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:39

EAST Search History

S18	971	bus adj latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:46
S19	30	(plural$3 or multipl$3 or many or cluster) same processor same S18	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:46
S20	15121	register adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:47
S21	2	S19 same S20	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:49
S22	1	S21 same control$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:47
S23	659	(377/16).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 13:51
S24	971	bus adj latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:25
S25	30	(plural$3 or multipl$3 or many or cluster) same processor same S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:25

EAST Search History

S27	1464	performance adj bus	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:40
S28	2	S27 same S24	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:42
S29	2215	(tag adj identifier adj affex$3) or ID-tag or (identificatiion adj tag) or (tag adj ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:42
S30	1	S29 adj affix$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/05 23:43
S31	2227	(tag adj identifier adj affix$3) or ID-tag or (identificatiion adj tag) or (tag adj ID) or "tag identiffier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:44
S32	287269	(plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:15
S33	3	S31 same S32 same register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:23
S34	88390	(plural$3 or multipl$3 or many or cluster) near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:25

EAST Search History

S35	1	register same S34 same S31	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:24
S36	12	temporay adj3 (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 13:10
S37	15	stor$3 same temporay same (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:25
S38	0	S31 and S34 and S37 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:26
S39	98	S31 and S34 and memory and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:26
S40	40712	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:39
S41	55	S39 and S40	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:29
S42	68	cumulative adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27

EAST Search History

S43	1	S41 and S42	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27
S44	971	bus adj latch	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27
S45	1	S42 and S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27
S46	15121	register adj file	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27
S47	1	S42 and S46	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:27
S48	3	S40 same S44	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 10:29
S49	2	("6385274").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 11:41
S50	15	stor$3 same temporay same (memory or storage or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:43

EAST Search History

S51	2369723	(tag adj identifier adj affix$3) or ID-tag or (identificatiion adj tag) or (tag adj ID) or "tag identiffier" or tag or identifier or ID	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:45
S52	40712	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:23
S53	247	S52 same S51 same register same (storage or memory or buffer)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:51
S54	0	S53 same (performance adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 11:51
S55	1	S53 and (performance adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:00
S56	1464	(performance adj bus)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:00
S57	3	S52 same S56	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:07
S59	1	digest adj collector	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:10

EAST Search History

S60	2	S53 and (event adj generator) and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:11
S61	1	S53 and generator and controller and reducer	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:12
S62	51	S53 and generator and controller	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:26
S64	139	(processor same bus same monitor$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:33
S65	2	(processor same bus same monitor$3 same perform$3).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:28
S66	12	S64 and S51	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2006/12/06 12:58
S67	2	("20050188260").PN.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2006/12/06 13:46
S68	2570	(tag adj identifier adj affix$3) or ID-tag or (identificatiion adj tag) or (tag adj ID)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:17

EAST Search History

S69	73	cumulative adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:17
S70	1	S69 same S68	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:17
S71	1	S68 and S69 and register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:19
S72	162	S68 same register	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:20
S73	43054	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:20
S74	8	S73 and S72	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/04/28 13:20
S75	532	(714/39).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/28 13:24
S76	862	(714/43).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/28 13:21
S77	529	(714/37).ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2007/04/28 13:21

AF Updated Search 10/775,393

IEEE Xplore® RELEASE 2.3

Welcome United States Patent and Trademark Office

Wed, 13 Jun 2007, 1:43:56 PM EST

Edit an existing query or compose a new query in the Search Query Display.

Select a search number (#) to:

- Add a query to the Search Query Display
- Combine search queries using AND, OR, or NOT
- Delete a search
- Run a search

Search Query Display

[redacted]

Recent Search Queries		Results
#1	((monitor or track or check<in>metadata) <and> (register based<in>metadata))<and> (tag identifier affixed<in>metadata)	0
#2	((plurality processor units<in>metadata) <and> (tag identifier affixed<in>metadata))<and> (reconfigure different manner<in>metadata)	0
#3	((bus or buses<in>metadata) <and> (monitor or track<in>metadata))<and> (tag identifier affixed<in>metadata)	0
#4	((monitor or track<in>metadata) <and> (bus performance<in>metadata))<and> (reconfigure<in>metadata)	0
#5	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	145
#6	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	145
#7	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	0
#8	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	145
#9	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	0
#10	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	145
#11	((monitor<in>metadata) <and> (bus<in>metadata))<and> (performance<in>metadata)	0

[redacted]

AF Updated S 10/775,393

Terms used
monitor or **track** or **check** and **processor units** and **register based** and **tag identifier affix** and **reconfigured** and **change** manne

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search

Try this search in The ACM Guide

Results 81 - 100 of 200 Result page: previous 1 2 3 4 **5** 6 7 8 9 10 next

Best 200 shown

Relevance scale

81 The relational model for database management: version 2

E. F. Codd

January 1990 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available: pdf(28.61 MB) Additional Information: full citation, abstract, references, citings, index terms, review

From the Preface (See Front Matter for full Preface)

An important adjunct to precision is a sound theoretical foundation. The relational model is solidly based on two parts of mathematics: firstorder predicate logic and the theory of relations. This book, however, does not dwell c the theoretical foundations, but rather on all the features of the relational model that I now perceive as importar for database users, and therefore for DBMS vendors. My perceptions result from 20 y ...

82 Introducing Ada 9X

John Barnes

November 1993 **ACM SIGAda Ada Letters**, Volume XIII Issue 6

Publisher: ACM Press

Full text available: pdf(4.39 MB) Additional Information: full citation, citings, index terms

83 Error-tolerant design: SEU tolerant device, circuit and processor design

William Heidergott

June 2005 **Proceedings of the 42nd annual conference on Design automation DAC '05**

Publisher: ACM Press

Full text available: pdf(364.56 KB) Additional Information: full citation, abstract, references, index terms

Development of highly reliable and available systems requires consideration of the occurrence of single event upsets, the effects they have on system performance, and strategies for their prevention and mitigation. Method systems engineering process and the application and validation of techniques for fault tolerance are discussed as elements in the elimination and mitigation of single event upsets.

Keywords: error detection and correction coding, fault avoidance, fault masking, fault tolerant systems, modula redundancy, radiation effects, single event upset, soft error rate, temporal redundancy

Terms used
monitor or **track** or **check** and **processor** **units** and **register** **based** and **tag** **identifier** **affix** and **reconfigured** and **change** **manne**

Sort results by relevance

Display results expanded form

Save results to a Binder

Search Tips

Open results in a new window

Try an Advanced Search
Try this search in The ACM Guide

Results 1 - 20 of 200 Result page: **1** 2 3 4 5 6 7 8 9 10 next

Best 200 shown

Relevance scale

1 Compiler construction: an advanced course

F. L. Bauer, F. L. De Remer, M. Griffiths, U. Hill, J. J. Horning, C. H. A. Koster, W. M. McKeeman, P. C. Poole, W. M. Waite, G. Goos, J. Hartmanis
January 1974 Book

Publisher: Springer-Verlag New York, Inc.

Full text available: pdf(65.62 MB) Additional Information: full citation, abstract, references, cited by

The Advanced Course took place from March 4 to 15, 1974 and was organized by the Mathematical Institute of tl Technical University of Munich and the Leibniz Computing Center of the Bavarian Academy of Sciences, in co-operation with the European Communities, sponsored by the Ministry for Research and Technology of the Federa Republic of Germany and by the European Research Office, London.

2 The multics system: an examination of its structure

Elliott I. Organick
January 1972 Book

Publisher: MIT Press

Full text available: pdf(23.94 MB) Additional Information: full citation, abstract, references, cited by, index terms

This volume provides an overview of the Multics system developed at M.I.T.--a time-shared, general purpose util like system with third-generation software. The advantage that this new system has over its predecessors lies in expanded capacity to manipulate and file information on several levels and to police and control access to data ir various files. On the invitation of M.I.T.'s Project MAC, Elliott Organick developed over a period of years an explanation of the workings, concep ...

3 Cryptography and data security

Dorothy Elizabeth Robling Denning
January 1982 Book

Publisher: Addison-Wesley Longman Publishing Co., Inc.

Full text available: pdf(19.47 MB) Additional Information: full citation, abstract, references, citings, index terms

From the Preface (See Front Matter for full Preface)

Electronic computers have evolved from exiguous experimental enterprises in the 1940s to prolific practical data processing systems in the 1980s. As we have come to rely on these systems to process and store data, we have

Interference Search 10/775,393

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	539	(714/39).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:35
L2	538	(714/37).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:35
L3	873	(714/43).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:35
L4	1234	(714/47).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:36
L5	188	(714/56).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:36
L6	410	(377/15).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:36
L7	573	(377/16).ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:36
L8	10101	(reconfigur$4 or reconstruct$4) same operat$3 same differen$3	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:36
L9	39692	(monitor$3 or track$3 or check$4) same (plural$3 or multipl$3 or many or cluster) same processor	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:38
L10	73	cumulative adj event	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 21:38
L11	69	L10	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:38
L12	11	temporay near (memory or storage)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 21:38
L13	4	L12	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:38

EAST Search History

L14	2669	(tag adj identifier adj affix$3) or ID-tag or (identificatiion adj tag) or (tag adj ID) or "tag identiffier"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 21:38
L15	2217	L14	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:38
L16	95280	(plural$3 or multipl$3 or many or cluster) near3 processor	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	ON	2007/06/13 21:39
L17	80882	L16	US-PGPUB; USPAT; USOCR	OR	ON	2007/06/13 21:39
L18	1	8 and 9 and 10	US-PGPUB; USPAT	OR	ON	2007/06/13 21:40
L19	0	12 and 14 and 16	US-PGPUB; USPAT	OR	ON	2007/06/13 21:40
L20	40	8 and 9 and 14 and 16	US-PGPUB; USPAT	OR	ON	2007/06/13 21:41
L21	1	20 and 1	US-PGPUB; USPAT	OR	ON	2007/06/13 21:41
L22	0	20 and 2	US-PGPUB; USPAT	OR	ON	2007/06/13 21:41
L23	0	20 and 3	US-PGPUB; USPAT	OR	ON	2007/06/13 21:41
L24	0	20 and 4	US-PGPUB; USPAT	OR	ON	2007/06/13 21:41
L25	0	20 and 5	US-PGPUB; USPAT	OR	ON	2007/06/13 21:42
L26	0	20 and 6	US-PGPUB; USPAT	OR	ON	2007/06/13 21:42
L27	0	20 and 7	US-PGPUB; USPAT	OR	ON	2007/06/13 21:42